I49.89:82/47-1/map C16

MAP C16
MMS 85-0011
FWS/OBS-82/47.1

Ocala

FLORIDA ECOLOGICAL ATLAS

SOILS AND LANDFORMS



ORIGINAL

Scale 1:100 000

TOPICAL MAPS IN THIS ATLAS:
- A. BIOLOGICAL RESOURCES
- B. SOCIOECONOMIC FEATURES
- C. SOILS AND LANDFORMS
- D. OIL, GAS AND MINERALS
- E. HYDROLOGY AND CLIMATOLOGY

1984

Produced by U.S. Fish and Wildlife Service and Minerals Management Service

Projection and 10,000 meter grid, zone 17: Universal Transverse Mercator
25,000 foot grid ticks based on Florida coordinate system, west zone


COASTAL SWAMPS
GULF HAMMOCK
HERNANDO CO
HIGHLANDS CO
MARION CO
Ocala
Silver Springs
Dunnellon
Inverness
Floral City
Citrus Springs
Withlacoochee State Forest
Ocala National Forest
Lake Weir
Orange Lake
Lake Lochloosa
Lake Kerr
Lake Tarrant
Lake Bryant
Lake Delancy
Lake Dorr
Lake Eaton
Lake Ocklawaha
Lake Bryant



1 Tifton-Irvington-Lyeltonoy Association
2 Tifton-Lyeltonoy Association
3 Hoboken-Kalmia-Izagora Association
4 Coastal Dune Land and Beach-Tidal Marsh Association
5 Plummer-Ruttage-Klucest Land-Hyatt Water
6 Swamp-Donovan-Pamlico Association
7 Lakeland-Fuquay-Blanton-Lake Rimon Association
8 Lakeland-Troup Association
9 Troup-Orangeburg Association
10 Dothan-Orangeburg Association
11 Red Bay-Lucy Association
12 Lakeland-Troup Association
13 Johns-Leaf Association
14 Salt Water Marsh-Bann-Dregs Association
15 Dothan-Orangeburg-Tifton Association
16 Dothan-Orangeburg-Tifton Association
17 Lakeland-Fauxville Association
18 Chipley-Albany-Lore Association
19 Ardilla-Lenfield-Stilson Association
20 Tifton-Fuquay-Blanton Association
21 Norfolk-Ruston-Goldsboro Association
22 Tifton-Faceville-Marlboro Association
23 Lakeland-Cuthbert-Dockery Association
24 Blanton-Bay-Plummer Association
25 Lakeland-Fuquay-Blanton Association
26 Kureb-Resota-Wampton Association
27 Lakeland-Foxworth-Centenary Association
28 Lakeland-Troup-Orangeburg Association
29 Hurricane-Chipley-Albany Association
30 Pottsburg-Lore-Ruttage Association
31 Plummer-Pelham Association
32 Ruttage-Albanton-Pickney Association
33 Lakeland-Troup-Orangeburg Association
34 Lore-Albany-Plummer-Chipley Dune Association
35 Dunbar-Bladen Association
36 Dothan-Orangeburg Association
37 Tifton-Cuthbert-Faceville Association
38 Chipley-Albany-Blanton Association
39 Lore-Fenby-Wampee Association
40 Dothan-Orangeburg-Red Bay Association
41 Tifton-Fuquay-Blanton Association
42 Orangeburg-Lore-Dothan Association
43 Chipley-Albany-Plummer Association
44 Lore-Resota-Ruttage Association
45 Steward, var.-Wampee-Dixie Association
46 Fresh Water Swamp, Shallow to Limestone Association
47 Fresh Water Swamp, Shallow to Limestone Association
48 Salt Water Marsh and Swamp-Coastal Dunes Association
49 Alpin-Blanton Association
50 Chipley-Blanton-Swamp Association
51 Chipley-Albany-Plummer Association
52 Candler-Apopka Association
53 Jonesville-Chiefland-Archer Association
54 Hernando-Archer-Chiefland Association
55 Hernando-Archer-Chiefland Association
56 Scan-Lochloosa-Tavares Association
57 Adamsville-Dixie Association
58 Bushnell-Wabasso-Felda Association
59 Bushnell-Wabasso-Immokalee Association
60 Lore-Resota-Sumrico Association
61 Lore-Pomona-Pompano Association
62 Lore-Pomona-Pompano Association
63 Lore-Pomona-Pompano Association
64 Lore-Pomona-Pompano Association
65 Lore-Pomona-Pompano Association
66 Lore-Pomona-Pompano Association
67 Lore-Pomona-Pompano Association
68 Lore-Pomona-Pompano Association
69 Lore-Pomona-Pompano Association
70 Lore-Pomona-Pompano Association
71 Lore-Pomona-Pompano Association
72 Lore-Pomona-Pompano Association

THE FLORIDA ECOLOGICAL ATLAS WAS PRODUCED BY THE U.S. FISH AND WILDLIFE SERVICE, DIVISION OF BIOLOGICAL SERVICES, NATIONAL COASTAL ECOSYSTEMS TEAM, SLIDELL, LOUISIANA. IT WAS DESIGNED TO ASSIST FEDERAL AND STATE PLANNERS, DECISION MAKERS, AND THE GENERAL PUBLIC TO DETERMINE AND EVALUATE CHANGE AND TO RESOLVE CONFLICTS AMONG LAND USES, FISH AND WILDLIFE RESOURCES, AND HABITAT PROTECTION AND DEVELOPMENT. THE STUDY AREA INCLUDES THE COASTAL COUNTIES EVERGLADES, SANTA ROSA, ESCAMBIA, OKALOOSA, WALTON, BAY, GULF, FRANKLIN, WAKULLA, LEON, JEFFERSON, TAYLOR, DIXIE, LEVY, CITRUS AND HERNANDO, AND EXTENDS APPROXIMATELY 20 MILES INLAND. THE ATLAS IS BASED ON THE BEST AVAILABLE DATA OR PRODUCTS OF THAT STUDY. TO DEFINE THE LIMITS OF PROPRIETARY JURISDICTION OF ANY FEDERAL, STATE, OR LOCAL GOVERNMENT TO ESTABLISH OR INTERPRET LEGAL SCOPE OF THE REGULATORY PROGRAMS OF GOVERNMENT AGENCIES.

THIS MAP HAS BEEN COMPILED FROM A VARIETY OF SOURCE MATERIALS INCLUDING SOME AERIAL PHOTOGRAPHS WITH VARYING SCALES AND DATES. ACCORDINGLY, POSITIONAL ACCURACY VARIES FOR DIFFERENT MAP FEATURES. THE USER SHOULD NOT RELY ON THESE MAPS FOR PRECISE MEASUREMENTS OF DISTANCES OR AREAS.

PRIMARY SOURCES OF MAPPED INFORMATION:

LANDFORMS: Photographic Map of Florida. State Bureau of Geology. 1982

SOILS: General Soils Atlas of Florida. Soil Conservation Service. 1981
General Soils Atlas of Florida. U.S. Soil Conservation Service. 1982

ACTIVE DUNES: Black and White Aerial Photographs, 1:80,000 Scale, Mark Hurd Productions, Inc. 1979
Topographic Maps, 1:24,000 Scale, U.S. Geological Survey. 1955-1982

GEOLOGIC FAULTS: Map of Escambia and Santa Rosa Counties Showing Contours on top of the Lower Limestone of the Pensacola Aquifer. State Bureau of Geology. 1985

FOR COMPLETE REFERENCES SEE MAP NARRATIVE

10. Plummer-Rutlege-Atlantic Land-Fresh Water: Nearly level, very poorly drained soils with very thick peat; poorly drained soils with a thin sandy layer overlying a loamy subsoil and very poorly drained soils that are sandy throughout.

11. Lakeland-Pedro-Kureh-St. Lucie-Rimini Association: Nearly level to steep, excessively drained soils, sandy throughout.

19. Salt Water Marsh-Dare-Osier Association: Nearly level, very poorly drained soils subject to frequent flooding by tidal waters.

38. Leon-Albany-Plummer-Chipley-Osier Association: Nearly level, very poorly drained soils that are sandy throughout; sandy subsoil, and poorly drained soils with very thick sandy layers over loamy subsoil.

48. Bonneau-Rutlege-Atlantic Land-Fresh Water Association: Nearly level, very poorly drained soil with very thick peat; poorly drained soils with a thin sandy layer overlying a loamy subsoil and very poorly drained soils that are sandy throughout.

49. Broward, var.-Mortmon-Osier Association: Nearly level, very poorly drained soils with very thick sandy layers and somewhat poorly drained sandy soils with clayey subsoils, shallow to limestone and poorly drained soils sandy throughout.

50. Manatee, var.-Felda, Var.-Copeland, Var. Association: Nearly level, very poorly and poorly drained sandy soils with loamy subsoils, and very poorly drained sandy soils with loamy subsoils, shallow to limestone.

51. Frash Water Swamp, Shallow to Limestone Association: Nearly level, very poorly drained soils shallow to limestone, subject to prolonged flooding.

52. Salt Water Marsh and Swamp-Coastal Dunes Association: Nearly level, very poorly drained soils subject to frequent flooding by tidal waters, and somewhat excessively drained sandy soils.

56. Candler-Apopka Association: Nearly level to sloping, excessively drained soils with very thick sandy layers over loamy subsoil and moderately well drained sandy soils with clayey subsoils, shallow to limestone and poorly drained soils sandy throughout.

57. Jonesville-Chiefland-Archer Association: Nearly level to sloping, excessively drained soils with very thick sandy layers over loamy subsoil and moderately well drained soils with very thick sandy layers over loamy subsoil.

58. Arredondo-Gainesville Association: Nearly level to sloping, well drained soils with very thick sandy layers over loamy subsoil, and well drained soils, sandy throughout.

59. Florahome Kershaw-Chiefland Association: Nearly level to sloping, excessively drained soils with very thick sandy layers with loamy or clayey subsoils underlain by limestone.

60. Spar-Lochloosa-Tavares Association: Nearly level to sloping, somewhat poorly drained soils with very thick or sandy layers over loamy subsoil, and moderately well drained sandy soils.

61. Adamsville-Zolfo Association: Nearly level to gently sloping, somewhat poorly to poorly drained sandy soils.

62. Bushnell-Wekiwa-Felda Association: Nearly level to sloping, excessively drained soils with very thick sandy layers over loamy subsoil and moderately well drained soils with loamy or clayey subsoils underlain by limestone.

63. Bichton-Pomingo-Kanapaha Association: Nearly level to strongly sloping, poorly drained soils with very thick or sandy layers over loamy subsoil, and moderately well drained soils with very thick sandy layers over loamy subsoil.

64. Leon-Mascotte-Surrency Association: Nearly level, poorly drained sandy soils with weakly cemented sandy subsoil and poorly drained sandy soils with a weak cemented sandy subsoil layer underlain by loamy subsoil and very poorly drained sandy soils with clayey subsoil.

65. Lynne-Pomona-Pomingo Association: Nearly level, poorly drained soils with very thick or sandy layers over loamy subsoil, underlain by loamy or clayey subsoil, and poorly drained sandy soils.

66. Candler-Pedro-Tavares Association: Nearly level to sloping, excessively drained soils with very thick sandy layers over loamy subsoil and moderately well drained sandy soils, sandy throughout.

67. Broward-Basy Association: Nearly level, somewhat poorly drained sandy soils, underlain by limestone and poorly drained soils with loamy subsoil underlain by limestone.

71. Mcelda-Basinger Association: Nearly level, poorly drained soils with very thick or sandy layers over clayey subsoil and poorly drained soils with weakly cemented sandy subsoil and poorly drained soils, sandy throughout.

72. Waggett, var.-Pompano Association: Nearly level, poorly drained soils with thin loamy layers over clayey subsoil and poorly drained soils, sandy throughout.

$E = \frac{ft}{yr}$ BEACH EROSION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

$A = \frac{ft}{yr}$ BEACH ACCRETION AREA (Period of Record: 1957-1981; Univ. of West Florida, 1981)

GULF BARRIER ISLAND

ACTIVE DUNE AREA

U / D NORMAL FAULT (Showing relative vertical movement; U, up, and D, down)

U / D SUB-SURFACE NORMAL FAULT (Showing relative vertical movement; U, up, and D, down)

STUDY AREA BOUNDARY

Offshore

Inland (County)

Inland (State)

1 Escambia-Santa Rosa Association
2 Bellamy-Troup-Lakeland Association
3 Orangeburg-Troup-Lakeland Association
4 Carnegie-Apopka Association
5 Jonesville-Chiefland-Archer Association
6 Arredondo-Gainesville Association
7 Florahome-Kershaw-Chiefland Association
8 Spar-Lochloosa-Tavares Association
9 Adamsville-Dover Association
10 Bushnell-Wekiwa-Felda Association
11 Bichton-Pomingo-Kanapaha Association
12 Leon-Mascotte-Surrency Association
13 Lynne-Pomona-Pompano Association
14 Candler-Felda-Tavares Association
15 Candler-Adamsville-Pompano Association
16 Arredondo-Kendrick Association
17 Kendrick-Lake Association
18 Panasoffkee-Bushnell Association
19 Wauksa-Basinger Association
20 Myakka-Pomello-Wauchula Association
21 Terra Ceia-Placid Association
22 Arredondo-Spar-Kendrick Association
23 Candler-Lake Association
24 Manavin Association
25 Gainesville-Basinger Association
26 Eustaffula-Wekiwa-Basinger Association
27 Paisley-Floridana-Wekiwa Association
28 Okeelanta-Apopka-Terra Ceia Association
29 Pamlico-Basinger-Lauderdale Association
30 Florahome-Kershaw-Chiefland Association
31 Salt Water Marsh and Swamp Association
32 Frash Water Swamp and Marsh Association
33 Bonneau-Rutlege-Atlantic Association
34 Paisley-Bushnell Association
35 Myakka-Pomello Association

DISCARDED FROM
FLORIDA STATE